



# Windows<sup>®</sup> IT Pro

## The Impact of Disk Fragmentation on Servers

By David Chernicoff

Diskeeper is now

**ConduSIV**<sup>™</sup>  
Technologies





## The Testing Environment

For our benchmark tests we used an HP ProLiant DL380 G5 equipped with dual quad-core 2.83 GHz Xeon processors, each with a 2x6MB L2 cache, 16 GB of RAM and seven 72 GB 10,000 RPM SCSI drives attached to an HP Smart Array P400 controller that has a 256 MB cache and that supports both serial-attached SCSI and SATA drives. The volumes we tested against were 30 GB, 80 GB, and 175 GB. We used a 500 GB 7200 RPM locally attached SATA drive for backup only. The server operating system was Microsoft Windows Server 2008 Enterprise; the application server software installed in VHDs was Microsoft SQL Server 2008 and Microsoft Exchange Server 2007. All server software was updated with service packs, patches and hotfixes current as of February 2009. The disk defragmentation software used was Diskeeper Server.

The seven SCSI drives attached to the array controller were configured as two physical drives. We used the first physical drive, comprised of two drives configured as a RAID 0 stripe set for maximum performance, for the installation of the operating system and all related files. We configured the remaining five drives as a RAID 5 stripe set to be representative of the

type of hardware storage configuration found in most business environments. We performed all applications, VHDs, and tests on the RAID 5 stripe set. The volume size was dependent upon the test level. As an example of the effect fragmentation can have, the screen capture in Figure 1 shows the Diskeeper fragmentation analysis of a severely fragmented disk. The severe fragmentation documented here will have a negative impact on storage performance.

We tested three levels of fragmentation, described herein as low, medium, and high. We used the Diskeeper Diskcrusher fragmentation utility to create fragmented files and directories. We ran all tests a minimum of three times with the results reported here being the average of all test runs.

As shown in Table 1 the level of fragmentation and

	Low	Medium	High
Number of files	101,652	1,220,660	2,087,158
Avg. number of fragments per file	3.21	1.69	2.30
Number of fragmented files	99,074	613,221	1,994,117
Number of excess fragments	225,216	840,076	3,005,400
Percent Fragmented - Volume	40%	50%	84%
Percent Fragmented - Data	51%	58%	91%
Free Space	22%	15%	15%

Table 1: Fragmented disk test configurations




Figure 1: Fragmentation map of a heavily fragmented disk




Figure 2: Fragmentation map after automated defragmentation by Diskeeper



the number of affected files increases with each testing tier. The level of fragmentation you'll encounter in production environments is dependent upon the level of use and types of applications the server deals with. In all likelihood, if your server storage levels are consistently exceeding 75 percent or so, you've begun aging data off of the servers or you're planning to add additional storage. While fragmentation isn't a direct result of reduced capacity, the chances for fragmentation increase as free storage space decreases and the operating system is forced to write data into an ever-increasing number of non-contiguous spaces.

By using an automated defragmentation process, the same disk volume sees absolutely minimal fragmentation even though it is in continual use by applications and users (Figure 2).

We ran each set of tests for three iterations, and then defragmented the storage using Diskeeper to reduce or eliminate the disk fragmentation. We repeated each test (also for three iterations) and averaged the results. In the following test descriptions and analysis, the comparisons are all before and after defragmentation at each specific fragmentation level tier. We did not do cross-tier comparisons. All test times are reported in seconds.

## The Tests

In our first set of tests we look at common server tasks that are likely to be affected by disk fragmentation. These tasks are all primarily storage related; that is, the performance of the storage media will have a primary impact on the performance of these tasks.

### File Copy

In the file copy test, a folder containing 5 GB worth of files and sub-directories was copied from the test volume to the boot volume of the server. To minimize variables, the copy was done locally, not across the network. We timed the test using a

	Low	Medium	High
Number of files	101,652	1,220,660	2,087,158
Percent Fragmented - Volume	0	0	0
Percent Fragmented - Data	0	0	0
Avg. number of fragments per file	0	0	0
Number of fragmented files	0	1	1
Number of excess fragments	0	2	4
Free Space	22%	15%	15%

Table 2: Fragmentation map after automated defragmentation by Diskeeper

stopwatch. This is one of the most basic tasks done with server data and, in a severely fragmented environment, showed some of the most significant performance improvements.

File Copy Tests (measured in seconds)		
	Fragmented	Defragmented
Low	44	39
Medium	72	60
High	97	54

The basic task of moving data from one location to another on the server shows that a fragmented disk has a major negative impact on the file copy. Even the lightly fragmented low-level test showed an improvement in copy time of over 11 percent, while the copy that was done from the very highly fragmented drive improved in time by almost 45 percent. Given how common the file copying task is the benefit is clear. Defragmented disks are a significant time saver for common user tasks.

While the limiting factor in doing a file copy from the server to the client might be the available network bandwidth, as technologies such as Gigabit Ethernet become more common, the base limiting factor will be how fast the operating system can feed data to the network request, which is directly impacted by fragmentation of the data on the local drive.

### Document Open

In this test, a 100-page Microsoft Word document was opened from the server to a Windows XP

client running Microsoft Office 2007. The size of the document was 3.3 MB.

File Copy Tests (measured in seconds)		
	Fragmented	Defragmented
Low	44	39
Medium	72	60
High	97	54

Our test results showed performance improvements of upwards of 30 percent. In the case of any file load from server to client the performance improvement will be determined by just how badly fragmented is the file located on the server. In our tests, the file was clearly badly fragmented, significantly so at the highest level of fragmentation testing. To prevent this type of file fragmentation, the best methodology is an ongoing background file defragmentation process, the benefits of which are clearly demonstrated by this test. And given how often this type of task is performed in most business environments, the value of the defragmentation cannot be understated. As shown in this and the File Copy test, basic data manipulation is much faster on defragmented storage.

## Backup

In the first test, we backed up the test volume using disk-to-disk backup as supported by Windows Server Backup, which is a component of Windows Server 2008. Backup was done using the VSS copy method, which is designed to work with other backup tools that would require that the archive and backup information in the files remain unmodified. We backed up to a SATA-attached dedicated hard drive that was reformatted between tests. Timing was done using the backup application.

Backup Tests (measured in seconds)		
	Fragmented	Defragmented
Low	1193	1130
Medium	2787	2300
High	6960	6620

While different backup tools will be differently affected by disk fragmentation, our tests showed one simple fact; defragmented disks back up faster. Individual runs demonstrated performance improvements of up to 20 percent with our test data set and the built-in Windows Server backup. Our least effective test result, a large data backup that can represent a significant amount of time, still showed an improvement of 5 percent. Our highest report results, which averaged a 17 percent reduction in backup time, shows that reducing or eliminating disk fragmentation prior to backup will allow larger amounts of data to be backed up, especially if time is a constraint in your backup process. If backup is run as a background application, reduced fragmentation will allow for lower resource consumption necessary for the backup process, minimizing further the impact of the backup on active users of the storage.

## Anti-Virus Scan

For the AV scan test we performed a complete scan of the test volume using the Kaspersky Lab AntiVirus Version 6 Windows Server software, current as of February 2009. The default configuration of the AV software was used with only the test volume selected for scanning. Timing was done using the AV application.

Anti-Virus Scan Tests (measured in seconds)		
	Fragmented	Defragmented
Low	256	238
Medium	1485	1359
High	4428	4004

Many factors will have an impact on the speed of a complete anti-virus scan of your storage. The way the scanner works, the total number of files that need to be scanned, the size of the files, and the fragmentation level of the disk all have a direct impact on the length of the AV scan process. In our tests with the Kaspersky Lab AV solution, the disk defragmentation resulted in upwards of a 10 percent performance improvement—with the improvement being more significant as the test drives increased in size, number of test files, and fragmentation.

## VHD Start

This test measured the amount of time it took to launch the saved test virtual machine. The VM was launched from a saved state and timing stopped when the Hypervisor manager reported that the VM was successfully started.

VHD Start Tests (measured in seconds)		
	Fragmented	Defragmented
Low	62.3	51
Medium	60.7	58
High	55.3	47


With as much as a 17 percent improvement in the start time of the test virtual machine, the effects of fragmentation on the VHD are clear. This fragmentation will also impact the performance of the VM itself, because all of the additional I/O necessary to read from a severely fragmented VHD will reduce the performance of the virtual computing environment. Fragmentation must also be watched if your VMs are configured with the dynamic disk option, which allows the virtual machine to grow the size of its storage as necessary. This means that as the size of the VHD grows it will continue to fragment into the available space on the hard drive. Making sure that the host machine hard disk is regularly defragmented and managed will improve the performance of virtual machines running on the host and allow for the use of dynamic disk allocation within the VM without danger of disk performance issues.

Even with significant free space of the disk, as shown by the white space in the fragmentation map (Figure 3), major fragmentation can still occur even without VHD test volume.

## VHD Save

This test measured the length of time required to save the test virtual machine. From the Hypervisor manager, the running machine was saved and timing stopped when the manager reported the save complete.

With test results indicating as much as a 25 percent performance improvement after



**Figure 3:** Fragmentation map of VHD volume

VHD Save Tests (measured in seconds)		
	Fragmented	Defragmented
Low	365.3	271.7
Medium	409.3	402
High	447.7	390.3

defragmentation, the VHD Save tests show quite clearly the effect of writing a very large file to a



**Figure 4:** Fragmentation map after automated defragmentation by Diskeeper.

fragmented hard drive. The more fragments on the drive the less likely it will be that a large file can be written contiguously. And in the world of virtualization, large files are the standard, and the need to be able to read and write those files with a minimum of fragmentation

is a requirement to meet the basic ROI needs of the enterprise. Automated background defragmentation results in a major reduction in fragmentation even with an active VHD (Figure 4). Regular use of the background defragmenter will continue to minimize fragmentation.

## Server Application Tests

In the server application tests we looked at the impact of fragmented storage on server-based applications. Other factors will have an impact on the overall performance of these applications; optimizing storage strategies, including defragmentation, reduces the impact of storage performance on the overall application performance.

### Exchange Test One

In this first Exchange test, the client, a Windows XP Professional Workstation running Office 2007, uses Outlook to open 100 messages from the server. One hundred messages are highlighted then opened simultaneously. Timing starts when the open is launched and stops when all of the messages have

Exchange Test One (measured in seconds)		
	Fragmented	Defragmented
Low	7.7	7
Medium	10.7	8.6
High	18.4	11.6

been opened and console control returns.

While the impact of server fragmentation gets significantly greater as the disk becomes more fragmented, even the common lower levels of fragmentation will have a large impact on user response time when you consider that hundreds of users may be accessing the data store at the same time. Delayed response time for email users is a generator of a large percentage of help desk calls, and implementing a defragmentation strategy can help to solve the problem. As our tests show, allowing the data to become seriously fragmented can have a major negative impact on the Exchange user experience with a 40 percent reduction in performance in our highly fragmented test environment. Good defragmentation strategies

result in fewer help desk calls.

### Exchange Test Two

In this test, the contents of an existing folder were

Exchange Test Two (measured in seconds)		
	Fragmented	Defragmented
Low	9	8
Medium	13.8	9
High	24.9	12.3

moved to a new folder. Time to complete was measured from the client side.

A new folder was created and the contents of the Inbox were moved to the new folder. With our heavily fragmented test environment showing a greater than 50 percent performance improvement after defragmentation it's clear that this test was extremely sensitive to higher levels of fragmentation on the server. If users are often found reorganizing the data in the Exchange mailbox, the impact of fragmentation can be quite severe.

### SQL Server Bulk Insert

We tested SQL Server 2008 with a bulk insert of 50,000 rows of data. The bulk insert is often the

SQL Server Bulk Insert Tests (measured in seconds)		
	Fragmented	Defragmented
Low	22.1	20.9
Medium	31	25
High	53.3	33.4

fastest method of getting data into a SQL Server database.

As has been seen with the Exchange tests, a highly fragmented database structure can have a severe negative impact on loading and extracting data from server applications, with our test showing a performance improvement of 40 percent in the most heavily fragmented environment. Because Microsoft offers APIs for moving open

files, defragmentation software is able to safely work on database files without risk of data loss or corruption. Loading data into a defragmented environment not only improves load times but reduces the amount of disk thrashing necessary to manipulate the data and the amount of work that is necessary to later defragment the database.

### Table Key Creation (measured in seconds)

In this test each table was opened, a field was selected as the primary key, and the change was saved.

The table key creation times are directly related to how much data SQL Server had to touch, and the level of fragmentation that had to be dealt with. SQL Server 2008 does a very good job of managing its databases, but defragmentation shows appreciable improvement in the performance of tasks such as this with a performance improvement of over 11 percent in the most fragmented environments.

With the SQL queries, the two tests differ primarily in the amount of data that SQL Server returns in response to the query. The tests depict the effects of manipulating the data on a fragmented drive with peak performance improvements of approximately 18 percent.

Measured in seconds	Table 1		Table 2		Table 3		Table 4	
	Fragmented	Defrag-mented	Frag-mented	Defrag-mented	Frag-mented	Defrag-mented	Frag-mented	Defragmented
Low	12.5	12	15.9	14.9	26	24.2	35.4	33
Medium	12.4	14.1	18.23	17.1	32.3	30.4	49.1	43.8
High	25.5	20.6	32.4	25.3	51	46.7	68.8	61.3

### SQL Query 1 (Simple)

SQL Query 1 Test (measured in seconds)		
	Fragmented	Defragmented
Low	23.9	22.3
Medium	28.2	24.8
High	43.5	33

### SQL Query 2 (Complex)

SQL Query 2 Test (measured in seconds)		
	Fragmented	Defragmented
Low	35.3	33.3
Medium	41.5	38.5
High	61.3	50.8

### Conclusion

The single, consistent result that appears in all of our tests is that defragmented server drives using Diskeeper deliver better performance. Every application that touches the hard drive will benefit from a good tool that defragments and manages the files on your servers.

Almost every role filled by Windows servers in your computing environment will benefit from the use of disk defragmentation software. The simplest file and print services delivery requires a significant amount of disk I/O and will easily benefit from file defragmentation. As our simple tests show, even Exchange and SQL Servers benefit from defragmentation; reading and writing data with either application simply works better when the files are not fragmented. The result is improved performance.

Throwing more storage resources (hardware) at a problem should be the last resort, because it only masks the potential problems that intelligent disk defragmentation addresses. Quicker response time in databases and mail servers means that more time is spent getting work done, rather than waiting for information to be delivered.

Diskeeper is the only true server defragmentation software that runs silently



